Notice of Allowability	Application No.	Applicant(s)
	10/629,163	COSTLEY ET AL.
	Examiner	Art Unit
	Jennifer H. Gay	3672
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the Amendment filed 7/28/05 and the Examiner's Amendment included herewith.		
2. The allowed claim(s) is/are <u>1-28</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	<u> </u>	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	Paper No./Mail Date 8), 7. ⊠ Examiner's Amendment/Comment	
	8. Examiner's Stateme	ent of Reasons for Allowance
		·

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David Cate on 08 September 2005.

The application has been amended as follows:

In the Claims:

Claim 25, line 15, "a predetermined flow rate" has been changed to --the predetermined flow rate--.

2. The following is an examiner's statement of reasons for allowance:

Regarding claims 1 and 8: The prior art of record fails to disclose or suggest an apparatus used to clean an interval of a well where a fluid flow rate above a predetermined rate will block fluid flow into the casing below spaced packer elements and where the predetermined rate will allow fluid flow into the casing below the packer elements as specifically called for in the claimed combination and method.

Regarding claims 13 and 25. The prior art of record fails to disclose or suggest an apparatus used to treating an interval of a well that includes a dump valve that permits flow through a fluid dump passage below a predetermined flow rate and blocks flow through the passage above a predetermined flow rate as specifically called for in the claimed combination and method.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/629,163 Page 3

Art Unit: 3672

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer H. Gay whose telephone number is (571) 272-7029. The examiner can normally be reached on Monday-Thursday, 6:30-4:00 and Friday, 6:30-1:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bagnell can be reached on (571) 272-6999. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (to)l-free).

Jehnifer H Gay Patent Examiner

Art Unit 3672

JHG September 9, 2005